Business Process Modeling in Systems of Systems

Jean Marcos S. Santos¹, Valdemar Vicente Graciano Neto², Elisa Yumi Nakagawa¹

¹Institute of Mathematical and Computer Sciences – University of São Paulo São Carlos – SP – Brazil

²Institute of Informatics – Federal University of Goiás Goiânia – GO – Brazil

jeanmarcos@usp.br, valdemarneto@inf.ufg.br, elisa@icmc.usp.br

Abstract. The Systems of Systems area has received more attention due to the growing demand from society and organizations for more integrated and complex services. As a result, the challenge for engineers to model business processes in increasingly complex systems has also grown. The main contribution of this paper is to provide a wide overview about the business process modeling approaches in the context of systems of systems. Through a systematic mapping of the literature, 33 studies were selected to answer four research questions. The analysis of the extracted data showed that the approaches to business process modeling has not evolve in the necessary way. This result shows that the area needs to receive more attention from researchers.

1. Introduction

Systems of Systems (SoS) are increasingly present within software engineering. SoS are alliances of independent systems (known as constituents) that work together to achieve complex behaviors. Several challenges arise in the development of such complex systems that address a set of unique characteristics when compared to other systems, i.e., the managerial and operational independence of constituents that leads to an often highly dynamic architecture. One of the challenges presented by SoS is its modeling, particularly for the business processes that rely on the interoperability of the constituents. SoS planning and architectural design stages can face difficulties. Once the architecture can be highly dynamic, the business process should be flexible and inter-organizational, which leads to problems with the precision of the current languages to precisely capture such aspects. Hence, we claim that current approaches and notations (e.g., UML, SySML and BPMN) do not provide a suitable support for complete modeling and adaptations as required [Neto et al. 2017]. This creates a gap in SoS modeling, which becomes a considerable obstacle if a Model-based Software Engineering (MBSE) approach is being used because it may not be possible to accurately represent the interactions and activities in that context.

To address this problem, this study used the guidelines prescribed by Kitchenham and Charters (2017) to conduct a Systematic Mapping and provide an overview of the use of languages and notations for business process modeling in SoS. From a set of 1400 retrieved studies, 33 were included and analyzed. Results reveal that the approaches to business process modeling has not evolve in the necessary way to fully serve the context of SoS.

The remainder of the paper is structured as follows. In the next section, the background is presented. Then, in Section 3, the methodology established for the conduction of the systematic mapping is introduced. In Section 4, the results from the analyses of

collected data are presented and the research questions are answered and discussed. In Section 5, we present the main conclusions and limitations of this study.

2. Background

SoS are large-scale integrated systems that are heterogeneous and independently operable on their own but are networked together for a common goal [Jamshidi 2008].

Maier (1996) characterizes SoS using the following well-defined dimensions: (i) operational and managerial independence of the constituent systems, which can be independently managed and deliver functionalities even when not working with other systems; (ii) evolutionary development, once SoS may evolve over time to respond to changing characteristics in its environment, in its mission, or in the constituent systems; (iii) geographical distribution, because the systems collaborating in an SoS are distributed over a large geographic extent; they can only exchange information among themselves; (iv) emergent behaviors, which result from the collaboration of the constituent systems and cannot be achieved by any of the individual systems. The SoS architecture is then potentially dynamic, i.e., the architectural conformance changes over time due to autonomous constituents joining and leaving the SoS at runtime [Oquendo 2016].

Business Process Modeling (BPM) is the activity of representing processes of an enterprise. In software engineering, this modeling is often applied during the planning stage in mapping business requirements and workflows.

Several modeling languages can be used to facilitate the work of engineers in this task, such as Unified Modelling Language (UML), System Modeling Language (SysML), Business Process Model and Notation (BPMN) and others. These languages with their graphic notations facilitate communication and understanding of the processes, reducing possible ambiguities that would cause future side effects.

SoS, as traditional systems, also need to model their business processes, so the concepts and applications of BPM are also present. However, the unique characteristics of SoS make BPM more challenging. One of these issues, for example, is how to model collaborative processes between organizations when constituents can join or leave SoS at run time? [Neto et al. 2017]. The study reported herein then aims to spot that subject.

3. Methodology

This study conducted a literature search by performing a secondary research called the Systematic Mapping Study. This type of study is designed to provide a wide overview of a research area to establish if research evidence exists on a topic and provide an indication of the quantity of the evidence [Kitchenham and Charters 2007]. Petersen, Vakkalanka, and Kuzniarz (2015) defines the Systematic Mapping Study as a defined method to build a classification scheme and structure a software engineering field of interest.

A Systematic Mapping Study has the same rigor of a Systematic Literature Review (SLR) and needs to follow the same steps: (i) planning, (ii) conducting, (iii) reporting. The planning stage will support the researchers to define, among other things, the scope of the study, the research questions and strategy, as well as the inclusion and exclusion criteria and the data extraction form. In the conduction stage, the defined plan will be executed, and the studies will be searched, evaluated, selected and the relevant information are extracted so that the research questions can be answered. Finally, in the reporting stage, the results of the

review will be disseminated. Academics usually assume that dissemination is about reporting results in academic journals and / or conferences.

3.1 Protocol

The protocol summary of this systematic mapping study is shown in Table 1. Details of the protocol are available in https://encurtador.com.br/hwyP4.

protocol are available in https://encurtador.com.br/hwyP4 .			
	Table 1 – Protocol Summary.		
	RQ1: What notations have been used to specify and manage business processes in the context of Systems of Systems? Rationale: Understanding what notations are being used to specify and manage business processes provides a way to gain a broader view of BPM activity in SoS, given the importance of notations for the activity.		
	RQ2: Which difficulties related to business processes have been faced in Systems of Systems? Rationale: This RQ brings information about the existing problems related to business processes in systems of systems. This information can guide the search for new solutions and improvements in the area.		
Research Questions	RQ3: How has Business Process Model and Notation been applied in the context of Systems of Systems? Rationale: Due to the importance of BPMN in the business process, it is important to detail its use and its limitations when applied in SoS.		
	RQ4: Are the notations used to model business process in Systems of Systems expressive enough for representing all Systems of Systems characteristics? Rationale: This RQ collects information about the coverage of the notations currently used to model business processes, considering that the characteristics of SoS tend to be more complex, and that information can answer if there is a need for new symbols or notations to support SoS.		
Search String	("systems of systems" OR "SoS" OR "system of system" OR "systems of system" OR "system of systems" OR "systems-of-systems" OR "system-of-systems" OR "systems-of-systems" OR "systems of information systems" OR "SoIS" OR "systems of information systems" OR "systems-of-information systems" OR "systems-of-information systems") AND ("business process modeling" OR "BPM") OR "business process model" OR "BPMN")		
Search Strategy	Scopus; IEEExplore; ACM Digital Library; Google Scholar; Engineering Village; SpringerLink		
Inclusion Criteria	IC1: The study addresses the use of Business Processes in Systems of Systems IC2: The study addresses the use of Business Processes in Systems-of-Information		
Exclusion Criteria	EC1: The study does not address the use of Business Process in Systems of Systems EC2: The study does not address the use of Business Process in Systems-of-Information Systems EC3: The study is written in a language other than English EC4: The full text of the study is not available EC5: The study is directly related to another primary study of the same author EC6: The study was not peer-reviewed EC7: The study is gray literature		

Quality Assessment	QQ1: Do the authors present an overview of related work and background regarding the area of the study? QQ2: Does the study provide a clear justification about the methods used in the study? QQ3: Is there a clear statement of contributions and has sufficient data been presented to support them? QQ4: Do the authors explicitly discuss the credibility and limitations of their findings?
--------------------	---

4. Results

Table 2 shows the results of the search, and the application of the inclusion and exclusion criteria. The list of all selected studies and their respective identifiers can be found in https://encurtador.com.br/hwyP4.

Table 2 – Databases with total, excluded and included studies.

Database	Total	Duplicated	Excluded	Included
Scopus	471	2	440	29
IEEExplore	19	18	1	0
ACM Digital Library	186	25	160	1
Google Scholar	100	32	65	3
Engineering Village	44	39	5	0
SpringerLink	580	84	496	0
Total	1400	200	1167	33

Figure 1 shows the 33 selected studies distribution over years. We can see an increase in interest between BPM and SoS as of 2016, but it still seems to be too small and fluctuating to be able to face all the challenges that these complex systems address.




Fig 1. Publications per year.

RQ1: What notations have been used to specify and manage business processes in the context of Systems of Systems?

Figure 2 shows the models/languages/notations that were used or presented as an option in the studies. We can see that BPMN has a wide adoption in the SoS area, but not necessarily to model only business processes. Most studies that used BPMN, did it to model parts of the

architecture, but without addressing all the characteristics of SoS. Only 6% of the studies (Lahboube, Roudies, and Souissi 2016; Wu et al. 2012) explicitly mention the modeling of business processes in SoS. This may indicate the lack of a notation that supports the full representation of business processes in SoS.




Fig 2. Models/languages/notations presented in the selected studies.

RQ2: Which difficulties related to business processes have been faced in Systems of Systems?

The biggest problem reported by the studies refers to the lack of expressiveness of the elements present in the notations [Arnautovic, Svetinovic and Diabat 2012; Neto et al. 2016; Tikito and Souissi 2017; Neto et al. 2018], mainly to represent the interactions between the systems and thus be able to represent the emerging behaviors.

The analysis of the studies also demonstrated the lack of notations and tools that could execute the defined models without the need to transform a non-executable language as UML and BPMN to an executable one such as BPEL or DEVS (S22, S26, S9).

This transformation step to allow the execution of the models could be avoided, if there were alternatives to directly execute the models created with BPMN. However, none of the studies demonstrated that this type of direct execution is possible. In Candela et al. (2017) (S19) this problem does not happen because the language presented for modeling is also an executable language.

RQ3: How has Business Process Model and Notation been applied in the context of Systems of Systems?

BPMN was present in 58% of the studies (S28, S11, S12, S1, S4, S14, S17, S18, S15, S21, S22, S23, S9, S3, S10, S6, S25, S26, S27), showing great adoption in the context of SoS. This is largely due to its popularity that already exists in normal software engineering contexts.




Fig 3. BPMN usage in software life cycle phases.

The analysis of the studies showed that despite the real purpose of BPMN being the modeling of business processes, it is more applied in the design stage, than in the planning and analysis stage. One of the reasons for this result may be the BPMN's inability to cover all the characteristics of SoS modeling, a problem that was found by this systematic mapping. Another reason is that BPMN is a trivial and easy to understand notation, which is why it was used to model parts of the system architecture that did not require a formalism, such as, for example, to model the understanding of some aspect or solution (S28).

RQ4: Are the notations used to model business processes in Systems of Systems expressive enough for representing all Systems of Systems characteristics?

The synthesis of the extracted data shows us that the notations used to model business processes in SoS are not yet sufficiently mature and adequate to meet the special needs of this context. Some studies (S1, S29, S20) indicated that modifications are necessary to achieve greater representativeness, either by modifying existing notations or creating new ones.

Another strong indication that supports this observation is the low number of studies that directly address the theme or that cites the need to adapt the characteristics of SoS. The challenges of modeling business processes still seem to be too abstract to be portrayed directly in studies in the area.

When BPMN was the language chosen to model some aspects of SoS, considerations were cited about how it could better serve the context of SoS, such as providing easier ways to represent the interactions between SoS component systems (S17); more dynamic characteristics that make it possible to represent the emerging behaviors of SoS (S15); better ways to model processes with complex data dependencies (S26).

4.1 Quality Assessment

The selected studies were evaluated on each of the quality questions. For each question, 3 notes were possible according to the following scale: (i) the study fully meets a given quality criterion (1.0 point); (ii) the study meets the quality criterion to some extent (0.5 point); and (iii) the study does not meet a quality criterion (0 point). Table 3 shows the result of the assessment.

The quality assessment showed that 75% of the selected studies had an assessment above 2.5, which is a good indication of the quality of the studies since the highest value on the scale is 4.

Table 3 - Quality assessment of selected studies.

#	Quality Score	#	Quality Score
S23	4.0	S8	3.0
S22	4.0	S16	2.5
S29	4.0	S25	2.5
S20	4.0	S11	2.5
S26	4.0	S27	2.5
S30	4.0	S32	2.5
S31	3.5	S6	2.5
S9	3.0	S5	2.5
S15	3.0	S4	2.0
S10	3.0	S17	2.0
S14	3.0	S2	2.0
S19	3.0	S21	2.0
S18	3.0	S13	2.0
S24	3.0	S28	2.0
S33	3.0	S1	1.0
S3	3.0	S12	0.5
S7	3.0		

4.2 Threats to Validity

There are some threats to validity in the findings presented in this study. As the research area that this study addresses is new, it was not possible to define any control group to calibrate the search string. Due to these facts, important studies may have been left out of the selection. To minimize this possibility, six databases were included, and the search string was created with many combinations of synonyms.

More threats to validity are present in the data extraction process to answer the research questions, it was necessary to subjectively interpret the information provided by the studies, since many studies do not clearly expose details about the investigated questions. To mitigate this possible problem, the data extraction was reviewed by an expert.

5. Final Remarks

This study presented a systematic mapping study on Business Process Modeling in the context of Systems of Systems, with special emphasis on the notations used in modeling. As we have seen, there is still a lot of work to be done in the area.

The contributions of this study include the realization of the need for more studies that address the challenges of BPM in SoS, so that the area can be better analyzed by more researched, more problems and challenges can be recognized and solutions and improvements can be developed.

As a future work, we point out the need to define a notation for the modeling of business processes that can represent all the characteristics of SoS, including the interactions between the constituent systems and the emerging behaviors that arise from their interactions.

References

M. Maier, (1996) "Architecting Principles for Systems-of- Systems", INCOSE International Symposium, vol. 6, pp. 565-573.

- M. Chaabane, I. B. Rodriguez, R. Colomo-Palacios, W. Gaaloul, M. Jmaiel (2019) "A modeling approach for Systems-of-Systems by adapting ISO/IEC/IEEE 42010 Standard evaluated by Goal-Question-Metric", Science of Computer Programming, Volume 184, 2019.
- V. V. G. Neto, E. Cavalcante, J. El Hachem, D. S. Santos, (2017) "On the Interplay of Business Process Modeling and Missions in Systems-of-Information Systems", IEEE/ACM Joint 5th International Workshop on Software Engineering for Systems-of-Systems and 11th Workshop on Distributed Software Development, Software Ecosystems and Systems-of-Systems (JSOS), Buenos Aires, 2017, pp. 72-73.
- B. Kitchenham, S. Charters, (2007) "Guidelines for performing systematic literature reviews in software engineering", Technical report, EBSE-2007-01, School of Comp. Science and Mathematics, Keele University.
- M. Jamshidi, (2008) "Systems of Systems Engineering: Principles and Applications", CRC Press Taylor & Francis Group, FL, USA.
- K. Petersen, S. Vakkalanka, L. Kuzniarz (2015) "Guidelines for conducting systematic mapping studies in software engineering: An update", Information and Software Technology, vol. 64, pp. 1-18.
- L. Garces, A. Ampatzoglou, P. Avgeriou, and E. Y. Nakagawa, (2017) "Quality attributes and quality models for ambient assisted living software systems: A systematic mapping" Information and Software Technology, vol. 82, pp. 121–138.
- P. G. Teixeira, V. H. L. Lopes, R. Pereira dos Santos, M. Kassab and V. V. Graciano Neto, (2019) "The Status Quo of Systems-of-Information Systems" 2019 IEEE/ACM 7th International Workshop on Software Engineering for Systems-of-Systems (SESoS) and 13th Workshop on Distributed Software Development, Software Ecosystems and Systems-of-Systems (WDES), Montreal, QC, Canada, pp. 34-41.
- Y. Wu, R. Kang, X. Pan, J. Yang, (2012) "The assessment of sos's structure based on the MCSP" Advanced Materials Research, vol 472-475, pp. 3188-3193.
- F. Lahboube, O. Roudies, N. Souissi, (2016) "Seven views + one" Proceedings of 2016 International Conference on Electrical and Information Technologies, ICEIT, pp. 55-60.
- E. Arnautovic, D. Svetinovic, A. Diabat, (2012) "Business interactions modeling for systems of systems engineering: Smart grid example" Proceedings 2012 7th International Conference on Systems Engineering, SoSE, Genova, 2012, pp. 107-112.
- V. V. G. Neto et al. (2016) "Experience report and challenges for systems-of-systems engineering: a real case in the Brazilian defense domain" Proceedings of Workshop on Distributed Development, Software Ecosystems and Systems of Systems, Maringá, Brazil, pp. 41-50
- I. Tikito, N. Souissi, (2017) "Data collect requirements model" 2nd international Conference on Big Data, Cloud and Applications (BDCA'17). Association for Computing Machinery, New York, NY, USA, Article 4, 1–7.
- V. V. G. Neto et al. (2018) "A study on goals specification for systems-of-information systems: Design principles and a conceptual model" XIV Brazilian Symposium on Information Systems (SBSI'18), Caxias do Sul, Brazil. Article 21, 1–8. ACM.
- L. Candela, F. Giannotti, V. Grossi, P. Manghi, R. Trasarti, (2017) "HyWare: A hybrid workflow language for research E-infrastructures" D-Lib Magazine, vol 23, number 1/2.

F. Oquendo "Formally describing the software architecture of Systems-of-Systems with SosADL" 11th System of Systems Engineering Conference (SoSE), Kongsberg, 2016, pp. 1-6. IEEE.

Appendix A – Selected Studies

#	Title	Author	Year
S1	Architecture evolution and evaluation (ArchEE) capability	Jain, P.	2011
S2	Model based systems engineering for smart grids as systems of systems	Lopes, Amit J and Lezama, R and Pineda, Ricardo	2011
S3	Modeling and simulation for SoS based on the DoDAF framework	Pan, X. and Yin, B. and Hu, J.	2011
S4	Business interactions modeling for systems of systems engineering: Smart grid example	Arnautovic, E. and Svetinovic, D. and Diabat, A.	2012
S5	Model-based requirements engineering for system of systems	Holt, J. and Perry, S. and Brownsword, M. and Cancila, D. and Hallerstede, S. and Hansen, F.O.	2012
S6	The assessment of sos's structure based on the MCSP	Wu, Y. and Kang, R. and Pan, X. and Yang, J.	2012
S7	Fault modelling for systems of systems	Andrews, Z. and Fitzgerald, J. and Payne, R. and Romanovsky, A.	2013
S8	Model-based development of fault tolerant systems of systems	Andrews, Z. and Payne, R. and Romanovsky, A. and Didier, A. and Mota, A.	2013
S9	Model-Driven Systems Engineering for Netcentric System of Systems with DEVS Unified Process	Mittal, Saurabh and Martín, José Luis Risco	2013
S10	Processing chains in system of systems	Ploom, T. and Last, I. and Glaser, A. and Scheit, S.	2014
S11	A requirements engineering and management process in concept phase of complex systems	Arnaut, B.M. and Ferrari, D.B. and De Oliveira E Souza, M.L.	2016
S12	An iterative and recursive model-based system of systems engineering (MBSoSE) approach for product development in the medical device domain	Ciancia, P.	2016
S13	Building a HIS supervision metamodel	Lahboube, F. and Roudies, O. and Souissi, N.	2016
S14	Contributing to the GEO Model Web implementation: A brokering service for business processes	Santoro, M. and Nativi, S. and Mazzetti, P.	2016
S15	Experience report and challenges for systems-of-systems engineering: a real case in the Brazilian defense domain	Paes, Carlos Eduardo de B and Neto, VV Graciano and Oquendo, Flávio and Nakagawa, Elisa Yumi and CarlosSPBrazil, Sao	2016
S16	Seven views + one	Lahboube, F. and Roudies, O. and Souissi, N.	2016
S17	Data collect requirements model	Tikito, I. and Souissi, N.	2017
S18	Engineering systems by combining BPMN and HLA-based distributed simulation	Falcone, A. and Garro, A. and Daambrogio, A. and Giglio, A.	2017
S19	HyWare: A hybrid workflow language for research E-infrastructures	Candela, L. and Giannotti, F. and Grossi, V. and Manghi, P. and Trasarti, R.	2017
S20	A study on goals specification for systems-of-information systems: Design principles and a conceptual model	Graciano Neto, V.V. and Rohling, A. and Horita, F. and El-Hachem, J. and Cavalcante, E. and Santos, D. and Nakagawa, E.Y.	2018
S21	Graphical user interface definition processes in the frame of systems- of-systems	Arnould, V.	2018
S22	Including co-simulation in modeling and simulation tool for supporting risk management in industrial context	Gorecki, S. and Bouanan, Y. and Ribault, J. and Zacharewicz, G. and Perry, N.	2018
S23	Mandala: An agent-based platform to support interoperability in systems-of-systems	Mendes, A. and Loss, S. and Cavalcante, E. and Lopes, F. and Batista, T.	2018
S24	Representing processes of human robot collaboration	Weichhart, G.	2018
S25	The logic of information and processes in system-of-systems applications	Eklund, P. and Johansson, M. and Kortelainen, J.	2018
S26	Using bpmn and HLA for sos engineering: lessons learned and future directions	Falcone, A. and Garro, A. and Drambrogio, A. and Giglio, A.	2018
S27	Using model-driven approach for engineering the system engineering system	Arnould, V.	2018
S28	A BPMN/HLA-Based Methodology for Collaborative Distributed des	Possik, J. and Amrani, A. and Vallespir, B. and D'Ambrogio, A. and Zacharewicz, G.	2019
S29	A modeling approach for Systems-of-Systems by adapting ISO/IEC/IEEE 42010 Standard evaluated by Goal-Question-Metric	Chaabane, Mariam and Rodriguez, Ismael Bouassida and Colomo-Palacios, Ricardo and Gaaloul, Walid and Jmaiel, Mohamed	2019
S30	A perceptive interface for intelligent cyber enterprises	Dumitrache, I. and Caramihai, S.I. and Moisescu, M.A. and Sacala, I.S. and Vladareanu, L. and Repta, D.	2019
S31	Designing development processes related to system of systems using a modeling framework	Shaked, A. and Reich, Y.	2019

S32	Engineering Roles and Information Modeling for Industry 4.0 Production System Engineering	Novák, P. and Vyskočil, J. and Kadera, P. and Kathrein, L. and Meixner, K. and Winkler, D. and Biffl, S.	2019
S33	Process Meta Model extended for the improvement cycle in a SoS Context	Akkiyat, I. and Souissi, N.	2019